SUBJECT INDEX

"Airless spray" technique 181
ALE 75
Amorphous materials 142–143
Antifriction and wear-resistant coatings
  diamond films for 159
Antireflecting coatings
  diamond films for 159–160, 161
Association constants 18
Atomic layer epitaxy (ALE) 75

Binary alloy plating (BPB) 219, 222
Binding energies 272
Boiling solutions
  bubbling in 22–23
  structure 1–17
  see also Crystal growth from boiling solutions
BPB 219, 222

Carbon atoms
  coordination and valence state in diamond films 142–145
Carbon films *see* Diamond and diamond-like films
Chemical transport
  for formation of diamond-like films 106–112, 116–117
Chemical vapor deposition (CVD)
  by spray pyrolysis 179–182
  of gallium nitride 62–69
Chemidescription threshold 87
Complexing in solution 1–2, 3–4, 13–15, 16–19
Constitutional supercooling criterion 273
Continuous growth mechanism 268
"Corona spray pyrolysis" 181
Corrosion protection
  diamond films for 160–161
Crystal growth
  from boiling solutions 1–2
    applicability of technique 17–23
    crystal perfection 23, 31–34
    experimental methods 23–26
    growth units 13–17, 21
    influence of solution structure 2–13
    kinetics 30–31
    morphological properties of crystals 26–29
  morphologies 268–271
  theories 267–268
Crystal–solution interface 19–21
CVD *see* Chemical vapor deposition

D.C. glow discharge
  for synthesis of diamond films 117–124
Defects
  characterization 31–33
Diamond
  history of synthesis 81–83
  mechanical properties 80–81
  metastability 84
Diamond and diamond-like films 79–81, 162
  applications 158–62
  bond type 79–80, 91–92, 93, 142–145
  crystal habit 114
  deposition from vapour phase
    chemical methods 99–117
    classification of methods 87
    history of 81–87
    physical methods 87–99
    plasma-chemical deposition 117–141
  doping 127, 147, 154–156
  impurities 150–152
  properties
    density and mechanical 147–150
    dielectric 152–156
    optical 156–158
  role of energy of gas phase particles 85–87
  selective growth 84–85
  semiconducting films 153–156, 161
  structure 142–147
  theories of formation 140–141
Dimethylzinc introduction system (DMZ) 252–253
Dissociation constants
  of electrolytes 3
DMZ 252–253
Double-beam method
  for synthesis of diamond films 90–95

Electrodeposition
  of thin/thick films 213–222
Electroluminescent devices 254, 259
Electrolytes
  and crystal growth 3–4, 14–19
Electron oscillation method
  for synthesis of diamond films 120–121
Electron spectroscopy
  in investigation of diamond films 143–146
Energy threshold 87
Epitaxial layer growth
  of gallium nitride *see under* Gallium nitride of zinc selenide *see under* Zinc selenide *see also* Thin/thick films for photovoltaic applications
Equilibrium constants
  for crystal growth 16
Etching 31–33

Frequency-doubled beam intensity 267

Gallium nitride 53, 74–75
  applications 73–74
  bulk crystal growth 56–60
  characterization 69–73

chemical reactivity 56
crystal habit 57–58
epitaxial layer growth 61–62
by CVD 62–69
liquid phase 61
substrate material 61
synthesis 54
thermodynamics of decomposition 54–56
Gas assisted solidification (GAS)
for silicon ingots 41–46 *see also under* Silicon
Gas phase (vapour phase)
deposition of diamond and diamond-like films from *see* Diamond and diamond-like films
Gibbs free energy
for complex formation 4
Growth hillocks 27–29, 31–32
Growth layers 27–29
Growth morphologies 268–271
Growth rate factors
for organic crystals 270
Growth units 21
Growth velocity 267–268

Heat
of association 14, 18
of dissolution 14–15
Heat balance equation 273
Holland's parameter 137
Hydrocarbons
pyrolysis of in formation of diamond films 102–104

Impurities
effect on crystal growth 17, 24
Induction period 21–22
Ion–ion interactions 2, 3–4, 6–19
Ion–plasma deposition
of diamond films 85, 87–99, 117–141
Ion plating system 120–121
Ion–solvent interactions 1–2, 3–4, 14–19

Kinetic roughening 268

Lasers
diamond films for 161
organic nonlinear optical crystals for 267
Layer-by-layer mechanism 268
LED *see* Light emitting diodes
Ligand substitution 3–4
Light-emitting diodes (LED)
gallium nitride for 53, 73–74
zinc selenide for 245, 258–259
Liquid phase epitaxy
of gallium nitride 61–62

Magnetron discharge
for synthesis of diamond films 129–130, 135
Mass spectrometry (MS)
in investigation of plasmolysis of hydrocarbons 137, 138–139
MBE *see* Molecular beam epitaxy
Melt grown crystals
prevention of supercooling 273
Metalorganic chemical vapor deposition (MOCVD)
for gallium nitride 66–67
for zinc selenide 252–258
compared with VPE 258
Metastable zone width 21–22
Migration activation energy 87
MOCVD *see* Metalorganic chemical vapor deposition
Molecular beam epitaxy (MBE)
for gallium arsenide 67–69
Morphologies of crystal growth 268–271
MS *see* Mass spectrometry

Nassau apparatus 23–24
Non-isothermal pyrolysis
formation of diamond films by 112–115
Nonlinear optical crystals *see* Organic nonlinear optical crystals
Non-vacuum techniques
for preparation of thin/thick films 172–223
see also Electrodeposition; Screen printing; Spray pyrolysis
Nucleation processes 21–22

OES *see* Optical emission spectroscopy
Optical crystals *see* Organic nonlinear optical crystals
Optical emission spectroscopy (OES)
in investigation of plasmolysis of hydrocarbons 137–138
Organic nonlinear optical crystals 265–267, 277
characterization 275–277
crystal growth morphology 268–271
growth of single crystals 272–275
solidification behaviour 267–268

Phase equilibria
of silver–nickel–tellurium system *see* Silver–nickel–tellurium system
Phosphates
dimerisation 6–10
Photovoltaic applications of thin/thick films *see* Thin/thick films for photovoltaic applications
Plasma
electron density 138
Plasma-chemical deposition
of diamond films 117–134
laws of 134–141
Polarisability
of organic molecules 265–266
Pulse crystallization
of diamond 81–82, 104–106
Pyrolysis
formation of diamond films by 102–104, 116
non-isothermal method 112–115

Radiation physics of solids
application to synthesis of diamond films 141

Raman spectroscopy
of aqueous solutions 5–13
RF glow discharge
for synthesis of diamond films 124–129, 135, 143
RF plasma coating apparatus 126–127
Rodriguez-Clements and Veintemillas-Verdaguer apparatus 24–25
"Roughening temperature" 268
"Roughness parameter" 268

Saturated solutions 2
crystal solution interface 19–21
structure 2–17
Screen printing
of thin/thick films
as solar cell materials 208–213
general aspects 206–208
Screw dislocation theory 267–268
Semiconductors
diamond films as 153–156, 161
see also Thin/thick films for photovoltaic applications
Silicon 41, 51
ingot casting by gas assisted solidification 41
apparatus and technique 42–44
characterization of ingot 46–50
growth study 44–46
Silver–nickel–tellurium system 279–280, 294
experimental details 280–281
phase equilibria
Ag–Ni–Te system 289–293
Ag–Te system 281–283
Ni–Te system 283–288
Solar cells
semiconducting thin/thick films for *see* Thin/thick films for photovoltaic applications
Solidification behaviour
of organic nonlinear crystals 267–271
Solubility product 2, 16
Solution grown crystals *see* Crystal growth from boiling solutions
Spherulitic structure 271
Spray pyrolysis
for preparation of thin/thick films
as solar cell materials 182–206
general aspects 179–182
historical perspective 177–179
Sulphates
interactions in aqueous solution 10–13
Supercooling
effect on crystal growth 269, 271, 273
Surface anisotropy factor 268
Surface entropy factor 19–20

TBP 219–222
Temperature gradient transport technique
for GaN crystals 60
Ternary bath plating (TBP) 219–222
Theories of crystal growth 267–268
Thermal roughening 268
Thielepape extractor 26
Thin/thick films for photovoltaic applications 171–172, 222–223
preparation
by electrodeposition 213–222
by screen printing 208–213
by spray pyrolysis 182–206
properties of semiconductors relevant to 172–177
Transition metals–metalloid alloy systems
see Silver–nickel–tellurium system

Vapor phase epitaxy (VPE)
for growth of Zinc selenide epilayers 245–252
compared with MOCVD 258
Vapour phase
deposition of diamond and diamond-like films
from *see* Diamond and diamond-like films
Virial coefficient 4
VPE *see* Vapor phase epitaxy

X-ray topographs
of crystals grown from boiling solutions 33–34

Zinc selenide 241–242
epitaxial layer growth 242
by metalorganic chemical vapor deposition 252–258
by vapor phase epitaxy 245–252, 258
for LEDs 245, 258–259
future prospects 258–259
physical properties 243, 245, 252, 254–258
single crystals 241–242, 243, 245, 259

COMPOUND INDEX

$AgCl$ 18
$AgGaS_2$ 174
$AgGaSe_2$ 174
$AgInSe_2$ 174
Ag–Ni–Te 279–281, 289–294
$AgNiTe_2$ 280
AgS 188
Ag–Te 281–283
AlSb 175
As_2S_3 188

$B(OH)_3$ 20

C 79–162
$CaCl^+$ 18
$CaClO_3$ 20
$CaHPO_4$ 18
$CaH_2PO_4^+$ 18
$CaNO_3^+$ 18
$Ca(NO_3)_2$ 15
$Ca(NO_3)_2 .2H_2O$ 15
$Ca(NO_3)_2 .3H_2O$ 15
$Ca(NO_3)_2 .4H_2O$ 15
$CaSO_4$. 18
CdI_2 20
CdS 172, 173, 177–178, 182–185, 186, 187, 188, 203–204, 208–211, 212–213, 214–216, 222–223
Cd(S,Se) 177, 178, 187
CdSe 172, 173, 178, 187, 188, 214
$CdSiAs_2$ 176
$CdSiP_2$ 176
$CdSnO_3$ 189
$CdSnP_2$ 176
CdTe 172, 173, 177, 178, 187, 189, 208–209, 211–213, 214, 215, 216–219, 222–223
(Cd,Zn)S 177–178, 185–187, 204, 205
Cd_2SnO_3 189
$(CH)_x$ 178
ClO_3 4
$CoSO_4.H_2O$ 15
$CoSO_4.6H_2O$ 15
$CoSO_4.7H_2O$ 15
$CoSe_3$ 188
$CuAlSe_2$ 174
$CuCl^+$ 18
$CuGaS_2$ 174, 200, 206
$CuGaSe_2$ 174, 200, 206
$CuGaTe_2$ 174
$CuInS_2$ 172, 174, 178, 189, 200, 204–206, 223
$CuInSe_2$ 172, 174, 178, 189, 200–204, 214, 219–222, 223
$CuInTe_2$ 174, 214
CuS 188
$Cu_{2-x}S$ 177
Cu_2S 177–178, 185, 186
Cu_2Te 213

$FeH_2PO_4^+$ 18
$FeH_2PO_4^{2+}$ 18
$FeSO_4$. 18
$FeSO_4.H_2O$ 15
$FeSO_4.4H_2O$ 15
$FeSO_4.7H_2O$ 15

GaAs 42, 172, 175, 214
GaN 53–75
GaP 175, 214
Ga_2S_3 188
Ge 160

$H_2AsO_4^-$ 4
$H_2PO_4^-$ 4, 5–6, 7, 16
$H_4P_2O_8^-$ 18
$H_4P_2O_8^{2-}$ 7
$Hg_{1-x}Cd_xTe$ 214
$HgBr_2$ 15, 20
$HgCl^+$ 18
$HgCl_2$ 15, 20
HgS 188

InP 175, 177, 214
In_2O_3 178, 187, 189, 194–196
In_2O_3 : Sn 178, 187, 189, 194–196
In_2Se_3 188

$KAl_3(SO_4)_2(OH)_6$ 16
KBr 20
$KC_4H_5O_6$ 20, 27
KCl 17, 18, 20, 22
KCl. 18
$KHPO_4^-$ 18
KH_2AsO_4 20
KH_2PO_4 5–10, 16, 20, 22, 23, 25, 27–34
KI 20
$K/MgSO_4$ 11
KNO_3 15, 17, 18, 20, 22
KNO_3. 18
KSO_4^- 18
$K_2Cr_2O_7$ 20, 22, 25
$K_2Mg_2(SO_4)_3$ 10, 16
K_2SO_4 11, 15

$Li_2SO_4.9H_2O$ 15

$MgCl^+$ 18
$MgCl_2$ 11
$MgPO_4^-$ 18
$MgSO_4$ 11–13

$MgSO_4$ 18
$MgSO_4+H_2O$ 3
$MgSO_4.H_2O$ 15, 16
$MgSO_4.6H_2O$ 15
$MgSO_4.7H_2O$ 15
$MgSO_4$–K_2SO_4–H_2O 10–13

$NH_4H_2PO_4$ 6, 7, 20
NaBr 20
NaC1 2, 14, 17, 18, 20, 22
NaC1. 18
NaF 20
$NaHPO_4^-$ 18
NaH_2PO_4 6, 7, 20
NaI 20
$NaNO_3$ 17, 18, 20, 22
$NaNO_3$ 18
$NaSO_4^-$ 18
Na_2HPO_4 15
$Na_2HPO_4.2H_2O$ 15
$Na_2HPO_4.7H_2O$ 15
$Na_2HPO_4.12H_2O$ 15
Na_2SO_4 15
$Na_2SO_4.10H_2O$ 15
$NiSO_4.6H_2O$ 15
$NiSO_4.7H_2O$ 15
Ni–Te 283–288

$PbC1^+$ 18
$PbC1_2$ 15, 20
$PbHPO_4$ 18
$PbH_2PO_4^+$ 18
$PbNO_3^+$ 18
$Pb(NO_3)_2$ 15, 20, 22, 25, 27, 29
PbS 188
$PbSO_4$. 18

Sb_2S_3 188
Si 41–51, 160, 189
SnO_2 178, 187, 189
SnO_2 : F 189
SnO_2 : Sb 194
SnO_x 178, 189, 190–194
SnO_x : Fe 205

TeO_2 17–18, 26, 27, 29

$Zn_{1-x}Mn_xSe$ 241
$ZnC1_2$ 15
$ZnGeAs_2$ 176
$ZnGeP_2$ 176
ZnO 173, 177, 178, 189, 196–200, 204, 205
ZnS 173, 185, 188
ZnS_xSe_{1-x} 259
ZnSe 172, 173, 214, 241–259
$ZnSiAs_2$ 176
$ZnSiP_2$ 176
$ZnSnP_2$ 176
ZnTe 173, 214

ADP 6, 7, 20
m-Aminophenol 270
m-Aminoquinoline 270
Aniline 266, 270
l-Arginine phosphate 273

Benzil 269, 270, 271
Benzimidazole 270
o-Bromo-*p*-nitroaniline 266, 270

Cadmium mercury telluride (CMT) 219
Carbon tetrabromide 270
o-Chloro-*p*-nitroaniline 266, 270, 274–276
m-Chloronitrobenzene 270
Cyclohexanol 270

Diamond 79–162
m-dinitrobenzene 270
o-dinitrobenzene 270

Hippuric acid 270

Iodate 23–24

KBC 27, 28–29
KDP 5–10, 16, 20, 22, 23, 25, 27–34
KHT 20, 27

Langbeinite crystals 10–13, 16

o-Methyl-p-nitroaniline 266, 270, 272
3-Methyl-4-nitropyridine-1 273

Neopentyl alcohol 270
m-Nitroaniline 266, 270, 271, 273–277
o-Nitroanaline 266, 270
p-Nitroanaline 266, 270
5-Nitrouracil 270

Paratellurite 17–18, 26
Phosphate dimers 6–10
Phthalic anhydride 272
Pivalic acid 269, 270, 271

Succinonitrile 269, 270, 271

Urea 270